



---

**GAS**  
STOVES



# Enviro

HEARTH PRODUCTS



Designed to heat.  
Built to Last.

For over 30 years, unsurpassed quality and craftsmanship have made us an industry leader in innovative heating systems. Design, functionality, and efficiency merge to create exceptional products that will exceed all expectations. Whether time-honored traditional or bold and modern, our dynamic range of products will compliment any home décor. With a complete line of fireplace inserts, zero-clearance fireplaces, and freestanding stoves, we have the perfect solution for your heating requirements. We won't just meet your expectations; we'll exceed them...





## Description

The Westport Steel Gas Stove is an affordable solution for a midsize to large living space. It offers the performance of the original Westport Cast Iron Gas Stove with a more modern design and steel outer construction. It's available in both Nova or IPI and can be vented top or rear, and is also compatible with a B vent.

## Design Features

- Remote thermostat compatible
- Steel construction
- Ceramic log set
- Quick release glass door system
- Top vent / rear vent / B vent
- ClearView Safety Screen
- Optional 150 CFM fan
- Nova and IPI editions

## Stove Specifications

BTU Maximum Input - NG	30,000 BTU		
Turn Down*	up to 50%		
Heating Area	1,700 ft <sup>2</sup>		
P4 Efficiency	64.9%		
Glass Size	336 in <sup>2</sup>		
Stove Dimensions	HEIGHT 27½"	WIDTH 26¼"	DEPTH 19½"

\* Turn down is based on Nova valve



Formed steel outer construction



High definition log set



Easy access controls



## Description

As our entry level gas stove, the S20 is the perfect solution for a smaller to mid-size living room. Its modern design blends well with a variety of décor, and its small footprint offers greater versatility in placement. It's available in IPI and can be vented top or rear.

## Design Features

- Field conversion kit NG to LP
- Thermostat or remote compatible
- Ceramic log set
- Charcoal fluted liner
- Top vent / rear vent convertible
- Heavy duty heat exchanger
- Easy access controls
- 150 CFM variable speed fan
- ClearView Safety Screen
- IPI and Nova editions

## Stove Specifications

BTU Maximum Input - NG	20,000 BTU		
Turn Down*	up to 50%		
Heating Area	1,100 ft <sup>2</sup>		
P4 Efficiency	74.5%		
Glass Size	346 in <sup>2</sup>		
Stove Dimensions	HEIGHT 33½"	WIDTH 24½"	DEPTH 18¾"

\* Turn down is based on Nova valve



High definition log set



Steel fireplace grate



Modern steel construction



Westley - Antique Bronze

## Description

The Westley is our newest freestanding gas stove. It's European cast iron outer construction creates a traditional aesthetic with modern accents. What really sets the Westley apart is it's 180° viewing angle giving plenty of exposure to it's high definition log set and stainless steel burner. The Westley is available in both a matte black finish or an antique bronze.

## Design Features

- European made castings
- 180° viewing angle
- Heavy duty heat exchanger
- B-vent compatible
- 130 CFM variable speed fan
- ClearView Safety Screen
- Ultra HD log set
- True to life flame presentation
- Nova and IPI editions
- Multiple Finishes:
  - Painted Black
  - Antique Bronze

## Stove Specifications

BTU Maximum Input - NG	29,000 BTU		
Turn Down*	33%		
Heating Area	1,500 ft <sup>2</sup>		
P4 Efficiency	67%		
Glass Size	525 in <sup>2</sup>		
Stove Dimensions	HEIGHT 27½"	WIDTH 26¾"	DEPTH 19⅞"

\* 33% turn down applies to both Nova and IPI editions.



*Westley - Painted Black*




8 Piece ultra high definition log set



European castings - Painted Black



Flame visible from three sides



## Description

The Westport Cast Iron is one of our most popular freestanding gas stoves. Its traditional design and cast iron outer construction provide a classy appearance. The Westport Cast Iron Gas Stove is available in a painted black matte finish or an antique chestnut porcelain enameled finish. It can be vented top, rear, and is also compatible with a B vent.

## Design Features

- Remote thermostat compatible
- Cast iron outer construction
- Ceramic log set
- Quick release glass door system
- Top vent / rear vent / B vent
- Safety screen
- Optional 150 CFM fan
- IPI and Nova editions
- Multiple Finishes:
  - Painted Black
  - Enameled Antique Chestnut

## Stove Specifications

BTU Maximum Input - NG	30,000 BTU		
Turn Down*	up to 50%		
Heating Area	1,700 ft <sup>2</sup>		
P4 Efficiency	64.9%		
Glass Size	336 in <sup>2</sup>		
Stove Dimensions	HEIGHT 27½"	WIDTH 25¾"	DEPTH 19½"

\* Turn down is based on Nova valve



Cast iron doors



High definition log set



Enameled antique chestnut finish



## Description

The S40 Freestanding Gas Stove offers a maximum BTU output of 40,000 making it excellent at heating large living spaces. It has a modern design and a 5/16" steep plate top. Instead of a typical burner tube layout, the S40 uses a ceramic log burner that blends in with the rest of the log set to create a more realistic appearance.

## Design Features

- Heavy duty heat exchanger
- Thermostat or remote compatible
- Ceramic log set and burner
- 5/16" steel plate top
- Ceramic charcoal fluted liner
- 150 CFM variable speed fan
- Optional B vent adaptor
- ClearView Safety Screen
- IPI and Nova editions

## Stove Specifications

BTU Maximum Input - NG	40,000 BTU		
Turn Down*	up to 50%		
Heating Area	2,000 ft <sup>2</sup>		
P4 Efficiency	65.9%		
Glass Size	355 in <sup>2</sup>		
Stove Dimensions	HEIGHT 28 <sup>5</sup> / <sub>8</sub> "	WIDTH 26 <sup>1</sup> / <sub>8</sub> "	DEPTH 22 <sup>7</sup> / <sub>16</sub> "

\* Turn down is based on Nova valve



Modern design



Ceramic burner



Heavy duty heat exchanger



Berkeley - Enameled Antique Chestnut

## Description

The Berkeley is our newest freestanding gas stove. It's European cast iron outer construction creates a traditional esthetic with modern accents. What really sets the Berkeley apart is it's 180° viewing angle, providing plenty of exposure to it's high definition log set and ceramic burner. The Berkeley is available in both a matte black finish and enameled antique chestnut.

## Design Features

- European-made castings
- 180° viewing angle
- IPI and Nova editions
- Heavy duty heat exchanger
- Ceramic log set and burner
- 150 CFM variable speed fan
- ClearView Safety Screen
- Two Stage Burner
- Multiple Finishes:
  - Painted Black
  - Enameled Antique Chestnut

## Stove Specifications

BTU Maximum Input - NG	40,000 BTU		
Turn Down*	up to 67.5%		
Heating Area	2,000 ft <sup>2</sup>		
P4 Efficiency	66.6%		
Glass Size	724 in <sup>2</sup>		
Stove Dimensions	HEIGHT 30 <sup>1</sup> / <sub>4</sub> "	WIDTH 29 <sup>5</sup> / <sub>16</sub> "	DEPTH 22 <sup>15</sup> / <sub>16</sub> "

\* Turn down is based on IPI valve with front burner being turned off.



*Berkeley - Painted Black*



Flame visible from three sides



9 Piece ultra high definition log set



European castings - enameled antique chestnut

# Gas Stove Specifications

Performance	<b>S20</b> SMALL GAS STOVE	<b>Westley</b> CAST IRON GAS STOVE	<b>Westport</b> CAST IRON / STEEL STOVE	<b>S40</b> LARGE GAS STOVE	<b>Berkeley</b> CAST IRON GAS STOVE
BTU Maximum Input - NG	20,000 BTU	29,000 BTU	30,000 BTU	40,000 BTU	40,000 BTU
Turn Down Nova Valve / IPI Valve	50% / 33%	33% / 33%	50% / 33%	50% / 33%	Up to 67.5%
Construction	Steel	Cast Iron	Cast Iron / Steel	Steel	Cast Iron
SIT Nova Valve (Standing Pilot)	Available	Available	Available	Available	Available
SIT Valve 885 (IPI)	Available	Available	Available	Available	Available
Efficiency - Steady State**	76.2%	68.9%	71.3%	70.7%	69%
Efficiency - FE rating †	74.5%	67%	64.9%	65.9%	66.6%
Glass Size	19¾" x 17½", 346 in <sup>2</sup>	525 in <sup>2</sup> (Front + Sides)	16.5" x 20.375", 336 in <sup>2</sup>	16⅞" x 21", 355 in <sup>2</sup>	724 in <sup>2</sup> (Front + Sides)
Finish	- Painted Black	- Painted Black - Antique Bronze	- Painted Black - Enameled Antique Chestnut	- Painted Black	- Painted Black - Enameled Antique Chestnut

Installation	<b>S20</b> SMALL GAS STOVE			<b>Westley</b> CAST IRON GAS STOVE			<b>Westport</b> CAST IRON / STEEL STOVE			<b>S40</b> LARGE GAS STOVE			<b>Berkeley</b> CAST IRON GAS STOVE		
Dimensions	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
	33½"	24½"	18¾"	27½"	26¾"	19⅞"	27½"	25¾"	19½"	28⅝"	26⅞"	22⅞"	30¼"	29⅝"	22⅝"
LP Conversion Kit (Nova)	Standard			Standard			Standard			Standard			Standard		
LP Conversion Kit (IPI)	Optional			Optional			Optional			Optional			Optional		
Venting (Direct Vent)	4" x 6⅝"			4" x 6⅝"			4" x 6⅝"			4" x 6⅝"			4" x 6⅝"		
Venting Compatibility	Top / Rear			Top			Top / Rear			Top			Top		
B Vent Compatibility	N/A			Yes			Yes			Yes			N/A		
Weight	225 lbs			190 lbs			227 lbs / 117 lbs			275 lbs			295 lbs		
Convection Fan	Included			Included			Optional			Included			Included		

\* Berkeley IPI turn down based on front burner being turned off.

\*\* Steady state rating based on conventional venting configuration.

† Based on the measured P.4-15 rating of the IPI model.


Specifications and measurements are subject to change. Please refer to owners manual for the most up to date and detailed product information.

# Gas Stove Specifications


Clearance to Combustibles	<b>S20</b> SMALL GAS STOVE	<b>Westley</b> CAST IRON GAS STOVE	<b>Westport</b> CAST IRON / STEEL STOVE	<b>S40</b> LARGE GAS STOVE	<b>Berkeley</b> CAST IRON GAS STOVE
Minimum distance to the stove's sides	8"	10 1/4"	11"	11 3/8"	12"
Minimum distance behind the stove	4"	5"	2.5"	5"	5"
Minimum alcove height to top of stove	12"	35"	32 1/2"	28 5/8"	27 1/2"
Minimum distance corner to wall	3"	5"	2.5"	7.5"	7.5"
Center of vent to sidewall (at minimum corner)	15"	15 5/8"	12 1/8"	17 3/4"	17 3/4"

# Unit Dimensions


**S20**  
Gas Stove




**S40**  
Gas Stove




**Westport**  
Steel Gas Stove




**Westport**  
Cast Iron Gas Stove



**Westley**  
Cast Iron Gas Stove



**Berkeley**  
Cast Iron Gas Stove



# S50

## Curved Gas Stove

COMING SOON

### Stove Specifications

BTU Maximum Input - NG	30,000 BTU						
Turn Down*	Up to 33%						
Heating Area	1,500 ft <sup>2</sup>						
Venting	Top / Rear						
Glass Size	18 ½ x 19 ½ (567 in <sup>2</sup> )						
Minimum Install Dims.	<table><thead><tr><th>HEIGHT</th><th>WIDTH</th><th>DEPTH</th></tr></thead><tbody><tr><td>45 ¼"</td><td>20"</td><td>20"</td></tr></tbody></table>	HEIGHT	WIDTH	DEPTH	45 ¼"	20"	20"
HEIGHT	WIDTH	DEPTH					
45 ¼"	20"	20"					

\* Turn down is based on a 50% valve.



The best way to visualize  
your dream fireplace at home  
is with the Enviro App!



Manufactured by Sherwood Industries Ltd • Victoria, BC, Canada  
enviro.com • info@enviro.com • Printed in Canada, March 2021



Please share and  
recycle this brochure