

WOOD STOVES
TRADITIONAL

CATALYTIC-FREE | EPA 2020 CERTIFIED

**PACIFIC
ENERGY**



TRADITIONAL SERIES

FREESTANDING WOOD STOVES



Keep small to large spaces warm and comfortable with the highly efficient and durable Vista, Super, and Summit woodstoves. Designed for exceptional heat output and long burn times, the Vista is an excellent choice for heating spaces from 500 to 1500 square feet, the Super - our most popular stove - for heating spaces up to 2000 square feet, and the Summit for larger spaces and long, cold winter nights.



VISTA LE



SUPER LE



SUMMIT LE

SUPER LE - METALLIC BLACK DOOR WITH OPTIONAL ASH PAN



BUILD YOUR STOVE
pacificenergy.net/build-your-stove



VISTA LE - BRUSHED NICKEL DOOR



SUPER LE - METALLIC BLACK DOOR

CLASSIC SERIES

**FREESTANDING WOOD STOVES
WITH PORCELAIN ENAMEL**



Enjoy the impressive performance and outstanding features of the Vista, Super, Summit fireboxes beautifully clad in rich, lustrous porcelain enamel. The Classic Collection delivers Pacific Energy's breakthrough heating performance, easy operation, and choices of elegant porcelain enamel cladding, door, leg and trivet finishes.



VISTA CLASSIC LE - IVORY



SUPER CLASSIC LE - EBONY




SUMMIT CLASSIC LE - SUNSET RED


BUILD YOUR STOVE
pacificenergy.net/build-your-stove


PORCELAIN ENAMEL OPTIONS

Classic stoves are available in three porcelain enamel colors.

Optional colors are available, please see Dealer.



Ivory



Ebony



Sunset Red

DECORATIVE TRIVET OPTIONS


Nickel



Metallic Black

SUMMIT CLASSIC LE – IVORY

2GRAMS
PER
HOUR
OR LESS

All Pacific Energy Wood Stoves come standard with these industry leading features:

- **High capacity baffle system**
- **Multi-port combustion air injection system**
- **Air wash system for super clean ceramic glass**
- **Inside and outside combustion air capable**
- **Floating firebox for extended stove life**
- **Single-Lever Air Control**
- **Mobile Home Approved**



VISTA LE VISTA CLASSIC LE

For spaces up to 1500 sq. ft.

Heat Output Cord Wood
56,000 BTU

23,200 BTU EPA Test Fuel

Efficiency (HHV)	72%
Emissions	1.9 gm/hr.
Log Size (recommended)	16"
Log Size (max)	17"
Firebox Size	1.6 cu.ft.
Viewing Area	152 sq.in.
Max Burn Time (Approx)	6-8 Hours ¹
Certification	B415.1



SUPER LE SUPER CLASSIC LE

For spaces up to 2000 sq. ft.

Heat Output Cord Wood
72,000 BTU

38,200 BTU EPA Test Fuel

Efficiency (HHV)	71.3%
Emissions	1.8 gm/hr.
Log Size (recommended)	16"
Log Size (max)	18"
Firebox Size	2.1 cu.ft.
Viewing Area	122 sq.in.
Max Burn Time (Approx)	7-10 Hours ¹
Certification	EPA 2020



SUMMIT LE SUMMIT CLASSIC LE

For spaces up to 3000 sq. ft.

Heat Output Cord Wood
99,000 BTU

41,275 BTU EPA Test Fuel

Efficiency (HHV)	74%
Emissions	1.8 gm/hr.
Log Size (recommended)	18"
Log Size (max)	20"
Firebox Size	2.5 cu.ft.
Viewing Area	153 sq.in.
Max Burn Time (Approx)	9-12 Hours ¹
Certification	EPA 2020

VISTA LE

STANDARD FEATURES

Reliable, durable, catalytic-free technology
Extended Burn Technology (EBT)
304 Stainless Steel Baffle, Rails, Tubes and
Flame Shield
East-West Loading

DESIGN OPTIONS

Rich metallic black finish
Pedestal base
Legs: choice of three finishes
Arched door: choice of three finishes

VISTA CLASSIC LE

Porcelain enamel: choice of three colors
Legs: choice of three finishes
Arched door: choice of three finishes
Decorative trivet: choice of two finishes

PERFORMANCE OPTIONS

Temperature-Actuated Variable-Speed Blower
Easy-to-use ash disposal system (optional on
Vista; included with Vista Classic)

SUPER LE

STANDARD FEATURES

Reliable, durable, catalytic-free technology
Extended Burn Technology (EBT)
304 Stainless Steel Baffle, Rails and
Flame Shield
North-South loading

DESIGN OPTIONS

Rich metallic black finish
Pedestal base
Legs: choice of three finishes
Arched door: choice of three finishes

SUPER CLASSIC LE

Porcelain enamel: choice of three colors
Legs: choice of three finishes
Arched door: choice of three finishes
Decorative trivet: choice of two finishes

PERFORMANCE OPTIONS

Temperature-Actuated Variable-Speed Blower
Easy-to-use ash disposal system (optional on
Super; included with Super Classic)

SUMMIT LE

STANDARD FEATURES

Reliable, durable, catalytic-free technology
Extended Burn Technology (EBT)
304 Stainless Steel Baffle, Rails and
Flame Shield
North-South loading

DESIGN OPTIONS

Rich metallic black finish
Pedestal base
Legs: choice of three finishes
Arched door: choice of three finishes

SUMMIT CLASSIC LE

Porcelain enamel: choice of three colors
Legs: choice of three finishes
Arched door: choice of three finishes
Decorative trivet: choice of two finishes

PERFORMANCE OPTIONS

Temperature-Actuated Variable-Speed Blower
Easy-to-use ash disposal system (optional on
Summit; included with Summit Classic)



BAFFLE SYSTEM

Pacific Energy leads the industry in premium clean burn technology. Our unique high capacity baffle system preheats secondary combustion air for an extremely effective reburn. By burning the combustible elements in the air, we improve our stove's environmental performance while significantly reducing the amount of wood consumed.



Pacific Energys Extended Burn Technologies

PERFORMANCE EFFICIENCY	BURN TIME		
	Combustion Air	Fuel Quality	Draft
			no EBT or ACMS
			EBT2
			ACMS

ACMS

The Advanced Combustion Management System (ACMS) is the next evolution of EBT. It further improves burn times, efficiency, and emissions by intelligently fine tuning combustion air.

EBT2

The second generation of Extended Burn Technology, the EBT2 is field proven to be highly effective at controlling the secondary burn system, extending burn times and reducing overall emissions.

Pacific Energy Secondary Combustion System

Pacific Energy's legendary secondary combustion system reburns the smoke from the primary fire making one of the cleanest, most reliable and maintenance free systems available. High quality stainless steel makes sure that you have years of trouble-free use. There is no bypass or catalytic combustors.



SELF SEALING ASH DUMP SYSTEM

Our self-sealing ash dump system, with its spring -loaded trap door provides a time saving, hassle-free ash removal solution that, frankly, has yet to be equaled. Pacific Energy's machined steel, spring loaded ash removal system is opened from outside the stove and closes automatically for safety and convenience when you're done.



KNIFE EDGE DOOR SEAL

A formed and welded knife edge opening creates a superior air-tight seal to the door gasket while strengthening the stove face.



DESIGN-A-FIRE

A SYSTEM BY PACIFIC ENERGY



Pacific Energy Wood Stoves are customizable in your choice of door and leg finishes. Available in Nickel, Metallic Black and Brushed Nickel.



FLOATING FIREBOX

All fireboxes are subjected to wild extremes of temperatures. Solidly designed with steel brick support rails, our legendary floating system allows key parts to freely expand and contract to drastically reduce metal fatigue and add years of life to the entire appliance. The high capacity stainless steel baffle (part of the clean-burning secondary combustion system) and the flame shield (which protects the stove top from intense heat) are integral components of our legendary floating firebox system.



AIR WASH


Pacific Energy developed the first effective air wash manifold systems, a design that flows pre-heated air to the glass surface to keep it clean. A refined design now creates a high-pressure zone in the center and forces air to flow from above and across the glass. Even at low air settings, we are confident that our air wash system is the most effective available. And that our glass doors are among the cleanest in the industry.





@pacificenergyfireplaceproducts

Follow us on Facebook and Instagram for news, promotions, and inspiring installations.


FLOOR PROTECTOR DIMENSIONS





VISTA LE




VISTA CLASSIC LE





SUPER LE




SUPER CLASSIC LE



SUMMIT LE



SUMMIT CLASSIC LE



CANADA

	VISTA LE & VISTA CLASSIC LE					SUPER & SUPER CLASSIC					SUMMIT & SUMMIT CLASSIC				
	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Minimum (Not necessarily extended to back wall)	40 3/4"	45"	-	-	-	39"	50 7/8"	-	-	-	42"	51"	-	-	-
Residential, single wall, vertical connector	40 3/4"	47"	57 3/4"	55 1/4"	26 3/8"	39"	50 7/8"	61 7/8"	57 1/2"	29 7/8"	42"	52"	62 7/8"	59 1/4"	29 5/8"
Residential, double wall, vertical connector	40 3/4"	45"	55"	53 1/4"	24 3/8"	39"	47 7/8"	57 5/8"	54 1/2"	26 7/8"	42"	50 1/2"	61 1/2"	58 1/4"	28 5/8"
Alcove, double wall, connector	40 3/4"	45"	-	-	-	39"	47 7/8"	-	-	-	42"	53"	-	-	-
Mobile home	40 3/4"	45"	55"	53 1/4"	24 3/8"	39"	47 7/8"	57 5/8"	54 1/2"	26 7/8"	42"	53"	65 5/8"	61 1/4"	31 5/8"

USA

	VISTA LE & VISTA CLASSIC LE					SUPER & SUPER CLASSIC					SUMMIT & SUMMIT CLASSIC				
	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Minimum (Not necessarily extended to back wall)	33 3/8"	35"	-	-	-	34"	40 3/4"	-	-	-	35"	41"	-	-	-
Residential, single wall, vertical connector	33 3/8"	45"	55 3/4"	51 1/4"	27 5/8"	34"	48 3/4"	59 5/8"	54 1/8"	30 1/8"	35"	50"	60 7/8"	55 3/8"	30 5/8"
Residential, double wall, vertical connector	33 3/8"	43"	53"	49 1/4"	25 5/8"	34"	45 3/4"	55 3/8"	51 1/8"	27 1/8"	35"	48 1/2"	59 1/2"	54 3/8"	29 5/8"
Alcove, double wall, connector	33 3/8"	43"	-	-	-	34"	45 3/4"	-	-	-	35"	51"	-	-	-
Mobile home	33 3/8"	43"	53"	49 1/4"	25 5/8"	34"	45 3/4"	55 3/8"	51 1/8"	27 1/8"	35"	51"	63 5/8"	57 3/8"	32 5/8"

CLEARANCES TO COMBUSTIBLES

	From top of stove to ceiling	STRAIGHT (VERTICAL CONNECTOR)					CORNER			ALCOVE				
		A	B	C	D	E	F	G	H	I	J			
RESIDENTIAL SINGLE WALL CONNECTOR	VISTA LE & VISTA CLASSIC LE	56 3/4"	10"	10"	17 3/8"	22 7/8"	7"	19 7/8"	10"	10"	17 3/8"	22 7/8"		
	SUPER & SUPER CLASSIC	56"	8"	14"	18"	26"	7"	21"	N/A	N/A	N/A	N/A		
	SUMMIT & SUMMIT CLASSIC	54"	9"	14"	17 1/2"	27 1/2"	6"	20 3/4"	N/A	N/A	N/A	N/A		
RESIDENTIAL DOUBLE WALL CONNECTOR	VISTA LE & VISTA CLASSIC LE	56 3/4"	8"	8"	15 3/8"	20 7/8"	5"	17 7/8"	8"	8"	15 3/8"	20 7/8"		
	SUPER & SUPER CLASSIC	56"	5"	14"	15"	26"	4"	18"	5"	14"	15"	26"		
	SUMMIT & SUMMIT CLASSIC	54"	7 1/2"	13"	16"	26 1/2"	5"	19 3/4"	10"	16"	18 1/2"	29 1/2"		
MOBILE HOME DOUBLE WALL CONNECTOR	VISTA LE & VISTA CLASSIC LE	56 3/4"	8"	8"	15 3/8"	20 7/8"	5"	17 7/8"	8"	8"	15 3/8"	20 7/8"		
	SUPER & SUPER CLASSIC	56"	5"	14"	15"	26"	4"	18"	5"	14"	15"	26"		
	SUMMIT & SUMMIT CLASSIC	54"	10"	18"	18 1/2"	31 1/2"	8"	22 3/4"	N/A	N/A	N/A	N/A		

For reference only. Installations should be based on manuals and rating labels. Specifications subject to change.

Pacific Energy is committed to continuous product improvement and innovation. As a result, appearance and specifications of the products featured in this brochure are subject to change without notice. For more information, please visit pacificenergy.net

